

Sound Level in Rural 2001

January

Table 1 : Sound Level at Roadside (Maximum-Minimum)

| Province | Station | Day-Night average sound level (L _{dn}) | Equivalent sound level 24hr (L _{eq} 24hr.) | % of days Equivalent sound level >70 dBA | Background Noise (L ₉₀) |
|------------------|--|--|---|--|-------------------------------------|
| Saraburi | Nahpralan School, Meaung Saraburi | 74.5 - 75.2 | 69.7 - 70.1 | 60 | 54.0 - 66.1 |
| Chonburi | Office of Leamchabung district, Sriracha | 63.5 - 73.4 | 57.2 - 64.7 | 0 | 50.4 - 64.8 |
| | Center of children Sriracha district , Sriracha | 64.1 - 71.8 | 60.0 - 63.9 | 0 | 46.2 - 58.6 |
| Chiangmai | Yupparatwittayalai School, Meaung Chiangmai | 68.7 - 72.1 | 64.5 - 67.4 | 0 | 46.3 - 63.6 |
| Suratthanee | Provincial Office Suratthanee Province | 63.1 - 69.6 | 58.3 - 67.4 | 0 | 47.3 - 70.1 |
| Phuket | Public Health Service Center of Phuket Province | 69.0 - 70.7 | 63.6 - 65.6 | 0 | 50.8 - 63.8 |
| Songklah | Municipality Office of Hat-yai, Hat-yai | 69.7 - 88.3 | 64.8 - 79.6 | 35 | 56.5 - 83.6 |
| Nakornratchasima | Lodging of Soldier 21st, Meaung Nakornratchasima | 70.0 - 72.9 | 62.6 - 65.9 | 0 | 47.8 - 71.4 |

Table 2: Sound Level in Ambient (Minimum-Maximam)

| Province | Station | Day-Night average sound level (L _{dn}) | Equivalent sound level 24hr (L _{eq} 24hr.) | % of days Equivalent sound level >70 dBA | Background Noise (L ₉₀) |
|-------------|---|--|---|--|-------------------------------------|
| Chonburi | Office of General Education, Meaung Chonburi | 65.6 - 73.1 | 61.2 - 72.3 | 6 | 48.1 - 71.4 |
| Lampang | Thammasat University Lampang Campus, Meaung Lampang | 57.7 - 60.4 | 52.8 - 58.2 | 0 | 42.9 - 55.6 |
| Nakornsawan | Nakornsawan Vocational Education | 65.6 - 74.9 | 58.9 - 72.4 | 10 | 50.0 - 75.6 |

February

Table 1 : Sound Level at Roadside (Maximum-Minimum)

| Province | Station | Day-Night average sound level (L _{dn}) | Equivalent sound level 24hr (L _{eq} 24hr.) | % of days Equivalent sound level >70 dBA | Background Noise (L ₉₀) |
|------------------|--|--|---|--|-------------------------------------|
| Saraburi | Nahpralan School, Meaung Saraburi | 74.5 - 78.3 | 69.7 - 74.0 | 61 | 54.2 - 73.9 |
| Chonburi | Office of Lamchabung district, Sriracha | 63.8 - 71.5 | 58.1 - 63.4 | 0 | 53.0 - 66.5 |
| | Center of Children Sriracha district, Sriracha | 64.2 - 66.9 | 60.0 - 62.1 | 0 | 46.1 - 58.9 |
| Suratthanee | Provincial office of Suratthanee province | 62.0 - 69.7 | 57.0 - 68.7 | 0 | 47.3 - 59.3 |
| Phuket | Center of Public Health Service Phuket Province | 68.2 - 73.0 | 63.3 - 66.1 | 0 | 51.7 - 62.6 |
| Songklah | Municipality Office of Hat - Yai, Amphur Hat - Yai | 69.5 - 82.3 | 64.5 - 73.8 | 14 | 54.2 - 77.5 |
| Nakornratchasima | Lodging of Soldier 21st , Amphur Meaung | 67.8 - 72.4 | 61.7 - 66.5 | 0 | 48.4 - 63.7 |

Table 2: Sound Level in Ambient (Minimum-Maximam)

| Province | Station | Day-Night average sound level (L _{dn}) | Equivalent sound level 24hr (L _{eq} 24hr.) | % of days Equivalent sound level >70 dBA | Background Noise (L ₉₀) |
|-------------|---|--|---|--|-------------------------------------|
| Ratchaburi | Center of maintenance Ratchaburi, Meuang Ratchaburi | 61.2 - 63.7 | 57.3 - 60.3 | 0 | 48.4 - 58.6 |
| Lampang | Thammasat University Lumpang Campus, Meaung Lumpang | 58.4 - 61.2 | 53.6 - 57.7 | 0 | 43.6 - 56.5 |
| Nakornsawan | Nakornsawan Vocational Education | 69.1 - 76.0 | 62.4 - 67.8 | 0 | 52.3 - 71.4 |

March

Table 1 : Sound Level at Roadside (Maximum-Minimum)

| Province | Station | Day-Night average sound level (L _{dn}) | Equivalent sound level 24hr (L _{eq} 24hr.) | % of days Equivalent sound level >70 dBA | Background Noise (L ₉₀) |
|------------------|--|--|---|--|-------------------------------------|
| Saraburi | Nahpralan School, Meaung Saraburi | 74.3 - 75.6 | 69.4 - 70.6 | 54 | 54.5 - 68.1 |
| Chonburi | Office of Leamchabung district, Sriracha | 64.1 - 65.7 | 58.0 - 59.6 | 0 | 52.2 - 59.2 |
| | Center of Children Sriracha district, Sriracha | 64.5 - 65.4 | 60.2 - 61.4 | 0 | 46.2 - 58.1 |
| Chiangmai | Yupparatwittayalai School, Meaung Chiangmai | 68.7 - 72.1 | 63.5 - 66.2 | 0 | 46.4 - 63.5 |
| Suratthanee | Provincial office Suratthanee Province | 62.3 - 69.7 | 57.7 - 69.0 | 0 | 48.2 - 66.2 |
| Phuket | Public Health Service Center of Puket Province | 68.8 - 71.7 | 63.5 - 66.1 | 0 | 50.8 - 63.9 |
| Songklah | Municipality Office of Hat-yai, Hat-yai | 69.7 - 93.6 | 65.2 - 86.8 | 0 | 54.6 - 90.3 |
| Nakornratchasima | Lodging of Soldier 21st, Meaung Nakornratchasima | 68.1 - 76.0 | 61.8 - 67.0 | 0 | 48.7 - 69.0 |

Table 2: Sound Level in Ambient (Minimum-Maximam)

| Province | Station | Day-Night average sound level (L _{dn}) | Equivalent sound level 24hr (L _{eq} 24hr.) | % of days Equivalent sound level >70 dBA | Background Noise (L ₉₀) |
|-------------|---|--|---|--|-------------------------------------|
| Ratchaburi | Center of Maintenance Ratchaburi, Meaung Ratchaburi | 55.7 - 74.4 | 52.1 - 70.0 | 0 | 40.4 - 66.5 |
| Lampang | Thammasat University Lumpang campus, Meaung Lampang | 58.1 - 64.0 | 53.4 - 57.5 | 0 | 40.0 - 58.6 |
| Nakornsawan | Nakornsawan Vocational Education | 64.2 - 74.4 | 58.9 - 65.8 | 0 | 47.6 - 70.9 |

April

Table 1 : Sound Level at Roadside (Maximum-Minimum)

| Province | Station | Day-Night average sound level (L _{dn}) | Equivalent sound level 24hr (L _{eq} 24hr.) | % of days Equivalent sound level >70 dBA | Background Noise (L ₉₀) |
|-------------------|--|--|---|--|-------------------------------------|
| Chonburi | Office of Leamchabung district, Sriracha | 62.7 - 66.9 | 57.1 - 65.0 | 0 | 52.0 - 61.5 |
| | Center of Children Sriracha district, Sriracha | 63.9 - 76.2 | 59.8 - 70.2 | 5 | 45.6 - 73.0 |
| Chiangmai | Yupparatwittayalai School, Meaung Chiangmai | 68.2 - 71.2 | 63.5 - 65.4 | 0 | 46.5 - 63.0 |
| Suratthanee | Provincial Office Suratthanee Province | 62.9 - 64.7 | 57.5 - 61.0 | 0 | 48.0 - 60.4 |
| Songkha | Municipality Office of Hat-yai, Hatyai | 70.0 - 88.0 | 64.8 - 80.9 | 33 | 55.4 - 84.0 |
| Nakornratchasrima | Lodging of Soldier 21 st, Meaung Nakornratchasrima | 66.6 - 71.6 | 60.8 - 63.3 | 0 | 46.6 - 59.9 |

Table 2: Sound Level in Ambient (Minimum-Maximam)

| Province | Station | Day-Night average sound level (L _{dn}) | Equivalent sound level 24hr (L _{eq} 24hr.) | % of days Equivalent sound level >70 dBA | Background Noise (L ₉₀) |
|-------------|---|--|---|--|-------------------------------------|
| Saraburi | Khaonoy Fire Station, Meaung Saraburi | 63.4 - 66.1 | 58.6 - 63.7 | 0 | 49.4 - 59.5 |
| Ratchaburi | Center of Maintenance, Meaung Ratchaburi | 59.1 - 73.1 | 53.9 - 66.1 | 0 | 46.3 - 66.8 |
| Rayong | Telecommunication Junction, Meaung Rayong | 60.9 - 64.2 | 55.9 - 61.7 | 0 | 48.2 - 70.0 |
| Chonburi | Office of General Education, Meaung Chonburi | 75.1 - 89.7 | 67.5 - 82.0 | 93 | 50.0 - 76.1 |
| Chiangmai | Cheangmai City Hall, Meaung Chiangmai | 57.2 - 60.3 | 51.8 - 54.0 | 0 | 43.1 - 51.8 |
| Lampang | Thammasat University Lampang Campus, Meaung Lampang | 58.9 - 62.5 | 53.9 - 57.0 | 0 | 44.3 - 57.1 |
| Nakornsawan | Nakornsawan Vocational Education | 64.2 - 72.8 | 58.5 - 64.8 | 0 | 48.7 - 68.5 |

May

Table 1 : Sound Level at Roadside (Maximum-Minimum)

| Province | Station | Day-Night average sound level (L _{dn}) | Equivalent sound level 24hr (L _{eq} 24hr.) | % of days Equivalent sound level >70 dBA | Background Noise (L ₉₀) |
|-------------------|---|--|---|--|-------------------------------------|
| Chonburi | Office of Leamchabung district, Sriracha | 64.1 - 68.8 | 58.3 - 62.3 | 0 | 52.1 - 58.8 |
| | Center of Children Sriracha district, Sriracha | 64.7 - 68.2 | 60.1 - 64.3 | 0 | 47.0 - 67.1 |
| Chiangmai | Yupparatwittayalai School, Meaung Chiangmai | 66.7 - 71.0 | 62.4 - 68.1 | 0 | 45.3 - 63.4 |
| Suratthanee | Provincial office Suratthanee province | 63.0 - 65.8 | 57.6 - 63.2 | 0 | 48.1 - 62.6 |
| Songklah | Municipality Office of Hat-yai, Hat-yai | 70.3 - 91.4 | 65.2 - 82.4 | 42 | 55.0 - 87.1 |
| Nakornratchasrima | Lodging of Soldier 21st, Meaung Nakornratchasrima | 66.0 - 71.8 | 60.7 - 64.8 | 0 | 46.1 - 63.9 |

Table 2: Sound Level in Ambient (Minimum-Maximam)

| Province | Station | Day-Night average sound level (L _{dn}) | Equivalent sound level 24hr (L _{eq} 24hr.) | % of days Equivalent sound level >70 dBA | Background Noise (L ₉₀) |
|-------------|---|--|---|--|-------------------------------------|
| Saraburi | Khaonoy Fire Station, Meaung Saraburi | 63.4 - 67.2 | 58.6 - 62.3 | 0 | 49.4 - 60.0 |
| Ratchaburi | Center of Maintenance Ratchaburi | 58.2 - 66.4 | 52.5 - 60.3 | 0 | 49.1 - 60.0 |
| Rayong | Rayong Telephon Exchange, Meaung Rayong | 61.3 - 71.2 | 56.6 - 63.1 | 0 | 49.5 - 70.2 |
| Chonburi | Office of General Education, Meaung Chonburi | 68.2 - 85.2 | 63.1 - 78.4 | 32 | 47.0 - 73.2 |
| Chiangmai | Chiangmai City hall, Meaung Chiangmai | 57.1 - 65.1 | 52.2 - 60.8 | 0 | 43.1 - 58.1 |
| Lampang | Thammasat University Lampang CAmpus, Meaung Lampang | 58.9 - 73.2 | 54.5 - 63.8 | 0 | 44.1 - 63.4 |
| Nakornsawan | Nakornsawan Vocational Education | 63.8 - 73.5 | 58.7 - 65.5 | 0 | 48.1 - 69.9 |

June

Table1 : Sound Level at Roadside (Maximum-Minimum)

| Province | Station | Day-Night average sound level (L _{dn}) | Equivalent sound level 24hr (L _{eq} 24hr.) | % of days Equivalent sound level >70 dBA | Background Noise (L ₉₀) |
|------------------|---|--|---|--|-------------------------------------|
| Chonburi | Office of Leamchabung district, Sriracha | 64.1 - 71.6 | 58.5 - 63.8 | 0 | 51.6 - 63.1 |
| | Center of Children Sriracha district, Sriracha | 64.7 - 74.7 | 60.5 - 66.3 | 0 | 47.4 - 59.6 |
| Chiangmai | Yupparatwittayalai School, Meaung Chiangmai | 68.9 - 72.0 | 63.3 - 66.3 | 0 | 46.7 - 64.8 |
| Suratthanee | Provincial office Suratthanee Province | 62.4 - 68.2 | 57.5 - 63.0 | 0 | 49.1 - 63.6 |
| Phuket | Public Health Service Center of Puket Province | 68.8 - 70.8 | 64.5 - 64.5 | 0 | 49.4 - 62.7 |
| Songklah | Municipality Office of Hat-yai, Hat-yai | 70.4 - 90.6 | 65.2 - 83.6 | 27 | 56.1 - 87.1 |
| Nakornratchasima | Lodging of Soldier 21 st, Meaung Nakornratchasima | 65.7 - 72.2 | 60.2 - 64.3 | 0 | 47.6 - 66.2 |

Table 2: Sound Level in Ambient (Minimum-Maximam)

| Province | Station | Day-Night average sound level (L _{dn}) | Equivalent sound level 24hr (L _{eq} 24hr.) | % of days Equivalent sound level >70 dBA | Background Noise (L ₉₀) |
|-------------|---|--|---|--|-------------------------------------|
| Saraburi | Khaonoy Fire Station, Meaung Saraburi | 63.4 - 66.8 | 58.7 - 64.4 | 0 | 48.4 - 62.6 |
| Ratchaburi | Center of Maintenance Ratchaburi, Meaung Ratchaburi | 57.2 - 59.6 | 51.8 - 53.4 | 0 | 49.1 - 54.0 |
| Rayong | Rayong Telephone Exchange, Meaung Rayong | 61.4 - 65.3 | 56.7 - 64.0 | 0 | 49.2 - 70.1 |
| Chonburi | Office of General Education, Meaung Chonburi | 66.5 - 75.5 | 63.7 - 69.9 | 0 | 46.4 - 66.1 |
| Chiangmai | Chiangmai City Hall, Amphur Meaung Chiangmai | 56.7 - 65.0 | 52.9 - 59.7 | 0 | 45.8 - 62.2 |
| Nakornsawan | Nakornsawan vocational Education | 63.1 - 68.1 | 58.2 - 64.2 | 0 | 47.5 - 66.0 |

July

Table 1 : Sound Level at Roadside (Maximum-Minimum)

| Province | Station | Day-Night average sound level (L _{dn}) | Equivalent sound level 24hr (L _{eq} 24hr.) | % of days Equivalent sound level >70 dBA | Background Noise (L ₉₀) |
|------------------|--|--|---|--|-------------------------------------|
| Saraburi | Nahpralan School, Meaung Saraburi | 76.2 - 77.0 | 71.1 - 72.8 | 100 | 55.3 - 72.7 |
| Chonburi | Office of Leamchabung district, Sriracha | 63.9 - 66.3 | 58.6 - 61.5 | 0 | 51.1 - 61.4 |
| | Center of Children Sriracha district, Sriracha | 64.0 66.5 | 60.7 - 62.5 | 0 | 46.1 - 59.0 |
| Chiangmai | Yupparatwittayalai School, Meaung Chiangmai | 68.4 - 72.2 | 63.5 - 66.1 | 0 | 47.8 - 64.1 |
| Suratthanee | Provincial office Suratthanee Province | 62.1 - 64.9 | 57.6 - 61.8 | 0 | 49.4 - 60.6 |
| Songklah | Municipality Office of Hat-yai, Hat-yai | 69.9 - 73.3 | 64.7 - 68.7 | 0 | 55.4 - 66.8 |
| Konkan | Lodging of deputy Nai Amphur, Meaung Konkan | 70.5 - 72.1 | 65.7 - 66.9 | 0 | 50.6 - 64.1 |
| Nakornratchasima | Lodging of Soldier 21st, Meaung Nakornratchasima | 65.4 - 71.8 | 59.7 - 63.9 | 0 | 48.0 - 53.8 |

Table 2: Sound Level in Ambient (Minimum-Maximam)

| Province | Station | Day-Night average sound level (L _{dn}) | Equivalent sound level 24hr (L _{eq} 24hr.) | % of days Equivalent sound level >70 dBA | Background Noise (L ₉₀) |
|-------------|--|--|---|--|-------------------------------------|
| Saraburi | Khaonoy Fire Station, Meaung Saraburi | 64.4 - 69.2 | 59.1 - 62.8 | 0 | 50.5 - 61.8 |
| Ratchaburi | 1 th Center of Maintenance Ratchaburi, Meaung Ratchaburi | 59.6 - 67.7 | 57.5 - 61.6 | 0 | 44.2 - 62.2 |
| Rayong | Rayong Telephone Exchange, Meaung Rayong | 61.4 - 66.2 | 56.1 - 65.4 | 0 | 49.7 - 62.5 |
| Chonburi | Office of General Education, Meaung Chonburi | 69.3 - 87.0 | 63.9 - 79.4 | 33 | 56.7 - 67.9 |
| Chiangmai | The Town hall of Chiangmai province, Meaung Chiangmai | 56.6 - 63.0 | 51.8 - 58.5 | 0 | 46.2 - 56.1 |
| Nakornsawan | Nakornsawan vocational Education | 63.3 - 72.9 | 58.4 - 67.1 | 0 | 47.6 - 68.5 |

August

Table 1 : Sound Level at Roadside (Maximum-Minimum)

| Province | Station | Day-Night average sound level (L _{dn}) | Equivalent sound level 24hr (L _{eq} 24hr.) | % of days Equivalent sound level >70 dBA | Background Noise (L ₉₀) |
|------------------|--|--|---|--|-------------------------------------|
| Saraburi | Nahphalan School, Meaung Saraburi | 75.4 - 80.0 | 70.7 - 73.7 | 100 | 54.6 - 75.2 |
| Rayong | Maptaput Health Center , Meaung Rayong | 58.6 - 62.6 | 53.4 - 57.3 | 0 | 48.3 - 58.0 |
| Chonburi | Office of Leamchabung district, Sriracha | 58.6 - 62.6 | 58.1 - 63.7 | 0 | 51.4 - 62.1 |
| | Center of Children Sriracha district, Sriracha | 63.7 - 69.0 | 60.6 - 63.3 | 0 | 45.5 - 66.0 |
| Chiangmai | Yupparatwittayalai School, Meaung Chiangmai | 67.4 - 73.0 | 63.5 - 66.2 | 0 | 45.1 - 66.1 |
| Suratthanee | Provincial office Suratthanee Province | 62.3 - 64.8 | 57.8 - 61.4 | 0 | 48.9 - 62.2 |
| Phuket | Public Health Service Center of Puket Province | 69.1 - 70.2 | 64.5 - 66.2 | 0 | 50.9 - 62.6 |
| Songklah | Municipality Office of Hat-yai, Hat-yai | 70.4 - 82.7 | 65.6 - 73.4 | 10 | 55.3 - 77.2 |
| Konkan | Lodging of deputy Nai Amphur, Meaung Konkan | 70.4 - 74.0 | 65.5 - 72.2 | 3 | 50.5 - 73.2 |
| Nakornratchasima | Lodging of Soldier 21st, Meaung Nakornratchasima | 66.3 - 70.6 | 60.7 - 63.4 | 0 | 49.0 - 59.4 |

Table 2: Sound Level in Ambient (Minimum-Maximam)

| Province | Station | Day-Night average sound level (L _{dn}) | Equivalent sound level 24hr (L _{eq} 24hr.) | % of days Equivalent sound level >70 dBA | Background Noise (L ₉₀) |
|------------|---|--|---|--|-------------------------------------|
| Saraburi | Khaonoy Fire Station, Meaung Saraburi | 62.6 - 75.0 | 57.9 - 65.8 | 0 | 49.2 - 60.4 |
| Ratchaburi | Center of Maintanance Ratchaburi, Meaung Ratchaburi | 59.6 - 66.4 | 56.8 - 63.2 | 0 | 44.3 - 61.1 |
| Rayong | Rayong Telephone Exchange, Meaung Rayong | 61.5 - 76.9 | 56.6 - 67.2 | 0 | 50.4 - 70.8 |
| Chonburi | Office of General Education, Meaung Chonburi | 71.1 - 93.4 | 64.8 - 84.3 | 75 | 59.1 - 69.2 |
| Nakomsawan | Nakomsawan vocational Education | 63.3 - 67.3 | 59.0 - 64.0 | 0 | 47.7 - 66.3 |

September

Table1 : Sound Level at Roadside (Maximum-Minimum)

| Province | Station | Day-Night average sound level (L _{dn}) | Equivalent sound level 24hr (L _{eq} 24hr.) | % of days Equivalent sound level >70 dBA | Background Noise (L ₉₀) |
|------------------|--|--|---|--|-------------------------------------|
| Saraburi | Nahpralan School, Meaung Saraburi | 75.9 - 77.1 | 71.3 - 73.1 | 100 | 55.1 - 71.8 |
| Rayong | Maptaput Health Center, Meaung Rayong | 58.7 - 67.7 | 53.2 - 59.4 | 0 | 50.1 - 57.7 |
| Chonburi | Office of Leamchabung district, Sriracha | 63.8 - 69.0 | 58.3 - 63.2 | 0 | 52.0 - 61.6 |
| | Center of Children Sriracha district, Sriracha | 63.8 - 74.6 | 60.6 - 65.7 | 0 | 45.0 - 70.9 |
| Chiangmai | Yupparatwittayalai School, Meaung Chiangmai | 67.5 - 69.7 | 63.0 - 66.2 | 0 | 44.7 - 64.6 |
| Suratthanee | Provincial Office Suratthanee Province | 63.1 - 66.9 | 57.7 - 63.4 | 0 | 46.1 - 62.8 |
| Konkan | Lodging of Deputy Nai Amphur, Meaung Konkan | 70.7 - 74.0 | 66.1 - 68.7 | 0 | 50.9 - 69.6 |
| Nakornratchasima | Lodging of Soldier 21st, Meaung Nakornratchasima | 65.9 - 72.0 | 60.0 - 64.5 | 0 | 49.0 - 64.1 |

Table 2: Sound Level in Ambient (Minimum-Maximam)

| Province | Station | Day-Night average sound level (L _{dn}) | Equivalent sound level 24hr (L _{eq} 24hr.) | % of days Equivalent sound level >70 dBA | Background Noise (L ₉₀) |
|------------|--|--|---|--|-------------------------------------|
| Saraburi | Khaonoy Fire Station, Meaung Saraburi | 61.8 - 65.5 | 58.2 - 61.7 | 0 | 59.6 - 74.7 |
| Ratchaburi | Center of Maintanace Ratchaburi, Meaung Ratchaburi | 59.9 - 62.0 | 57.4 - 58.9 | 0 | 44.5 - 57.5 |
| Rayong | Rayong Telephone Exchange, Meaung Rayong | 61.2 - 69.2 | 56.4 - 67.6 | 0 | 50.2 - 59.5 |

October

Table 1 : Sound Level at Roadside (Maximum-Minimum)

| Province | Station | Day-Night average sound level (L _{dn}) | Equivalent sound level 24hr (L _{eq} 24hr.) | % of days Equivalent sound level >70 dBA | Background Noise (L ₉₀) |
|------------------|---|--|---|--|-------------------------------------|
| Chonburi | Office of Leamchabung district, Sriracha | 63.6 - 79.7 | 58.1 - 74.6 | 8 | 47.8 - 71.8 |
| Suratthanee | Provincial Office Suratthanee Province | 61.3 - 68.3 | 57.1 - 60.9 | 0 | 48.0 - 61.1 |
| Konkan | Lodging of Deputy Nai Amphur, Meaung Konkan | 70.3 - 73.4 | 65.9 - 71.5 | 6 | 49.9 - 66.3 |
| Nakornratchasima | Lodging of Soldier 21st, Meaung Nakornratchaseema | 66.7 - 78.5 | 60.6 - 72.0 | 6 | 49.0 - 72.4 |

Table 2: Sound Level in Ambient (Minimum-Maximam)

| Province | Station | Day-Night average sound level (L _{dn}) | Equivalent sound level 24hr (L _{eq} 24hr.) | % of days Equivalent sound level >70 dBA | Background Noise (L ₉₀) |
|-----------|--|--|---|--|-------------------------------------|
| Saraburee | Khaonoy Fire Station, Meaung Saraburi | 63.2 - 68.5 | 58.4 - 65.8 | 0 | 49.2 - 61.5 |
| Rayong | Rayong Telecommunication Exchange, Meaung Rayong | 56.2 - 79.0 | 55.4 - 77.0 | 6.5 | 50.2 - 59.5 |

November

Table 1 : Sound Level at Roadside (Maximum-Minimum)

| Province | Station | Day-Night average sound level (L _{dn}) | Equivalent sound level 24hr (L _{eq} 24hr.) | % of days Equivalent sound level >70 dBA | Background Noise (L ₉₀) |
|------------------|---|--|---|--|-------------------------------------|
| Saraburi | Nahpralan School, Meaung Saraburi | 76.0 - 79.6 | 71.5 - 73.5 | 100 | 54.6 - 72.2 |
| Chiangmai | Yupparatwittayalai School, Meaung Chiangmai | 68.0 - 72.8 | 63.6 - 66.7 | 0 | 45.5 - 65.2 |
| Suratthanee | Provincial Office Suratthanee Province | 60.6 - 66.4 | 56.1 - 60.7 | 0 | 48.0 - 62.3 |
| Songklah | Municipality Office of Hat- Yai, Hat-Yai | 71.3 - 72.3 | 66.0 - 67.0 | 0 | 56.8 - 65.9 |
| Konkan | Lodging of Deputy Nai Amphur, Amphur Meaung | 70.3 - 71.3 | 65.2 - 66.2 | 0 | 50.9 - 63.4 |
| Nakornratchasima | Lodging of Soldier 21st, Amphur Meaung | 66.7 - 77.6 | 60.0 - 70.7 | 3 | 48.9 - 70.8 |

Table 2: Sound Level in Ambient (Minimum-Maximam)

| Province | Station | Day-Night average sound level (L _{dn}) | Equivalent sound level 24hr (L _{eq} 24hr.) | % of days Equivalent sound level >70 dBA | Background Noise (L ₉₀) |
|-----------|---|--|---|--|-------------------------------------|
| Saraburi | Khaonoy Fire Station, Meaung Saraburi | 62.8 - 66.6 | 58.1 - 65.1 | 0 | 49.9 - 62.2 |
| Rayong | Rayong Telecommunication Exchange, Meaung Rayong | 61.6 - 65.6 | 56.4 - 60.7 | 0 | 50.1 - 59.1 |
| Chiangmai | Yupparatwittayalai School, Meaung Chiangmai | 57.1 - 62.9 | 52.2 - 57.9 | 0 | 45.0 - 63.3 |
| Lampang | Thammasat University Lampang Campus, Meaung Lampang | 57.0 - 65.1 | 52.8 - 59.0 | 0 | 41.3 - 62.8 |

December

Table 1 : Sound Level at Roadside (Maximum-Minimum)

| Province | Station | Day-Night average sound level (L _{dn}) | Equivalent sound level 24hr (L _{eq} 24hr.) | % of days Equivalent sound level >70 dBA | Background Noise (L ₉₀) |
|------------------|--|--|---|--|-------------------------------------|
| Saraburi | Nahpralan School, Meaung Saraburi | 76.2 - 76.9 | 71.2 - 72.1 | 100 | 55.1 - 73.1 |
| Chiangmai | Yupparatwittayalai School, Meaung Chiangmai | 67.5 - 82.2 | 63.2 - 73.1 | 3 | 44.9 - 68.3 |
| Suratthanee | Provincial Office Suratthanee Province | 60.0 - 64.0 | 55.2 - 60.2 | 0 | 47.1 - 59.6 |
| Songklah | Municipality Office of Hat - Yai, Hat - Yai | 71.0 - 77.4 | 65.9 - 69.4 | 0 | 60.1 - 66.6 |
| Konkan | Lodging of Deputy Nai Amphur, Meaung Konkan | 69.4 - 72.0 | 64.9 - 67.0 | 0 | 49.4 - 65.1 |
| Nakornratchasima | Lodging of Soldier 21st, Meaung Nakornratchasima | 65.0 - 78.2 | 60.5 - 71.7 | 6 | 47.2 - 72.1 |

Table 2: Sound Level in Ambient (Minimum-Maximam)

| Province | Station | Day-Night average sound level (L _{dn}) | Equivalent sound level 24hr (L _{eq} 24hr.) | % of days Equivalent sound level >70 dBA | Background Noise (L ₉₀) |
|-----------|--|--|---|--|-------------------------------------|
| Saraburi | Khaonoy Fire Station, Meaung Saraburi | 62.5 - 67.7 | 57.9 - 65.9 | 0 | 49.5 - 95.8 |
| Rayong | Rayong Telecommunication Exchange, Meaung Rayong | 61.2 - 65.9 | 56.3 - 64.9 | 0 | 49.0 - 61.3 |
| Chiangmai | Yupparatwittayalai School, Meaung Chiangmai | 56.9 - 69.4 | 52.4 - 69.2 | 0 | 46.3 - 61.4 |
| Lampang | Thammasat University Lampang Campus , Meaung Lampang | 57.1 - 58. 6 | 53.4 - 55.3 | 0 | 42.0 - 56.2 |